

# THE STANDARD

## IN PADLOCK SECURITY



[lockweb.com.au](http://lockweb.com.au)



ASSA ABLOY

# SECURITY TESTS

The tests simulate various forms of attack with common hand tools. They are far more severe than would normally be encountered as the padlock and padlock accessory are securely held in ideal conditions during the tests. The pictures below show examples of the various types of attack simulated.



CUTTING



IMPACTING



DRILLING



SAWING



PULLING



TWISTING


# THE AUSTRALIAN PADLOCK PERFORMANCE STANDARD

**The Australian Standard AS 4145.4 enables the true evaluation of the physical security and corrosion resistance of padlocks and padlock accessories.**

The standard specifies performance requirements and describes test methods for strength, security, function and corrosion.

Requirements that relate to security are classified in ten grades, based on performance tests that simulate attack. The security rating is based on the lowest test result achieved. Test methods are specified in detail to ensure reproduction and consistency of assessment.

Lockwood padlocks and accessories are quality products designed and manufactured to stringent Lockwood specifications that meets or exceeds the requirements of the Australian Standard. All products carry a security rating and a corrosion resistance rating prominently displayed on the packaging to enable our customers to select the padlock and accessory of an identical rating to maximise the performance of the padlock and accessory combination.



# CHOOSING THE RIGHT PADLOCK & ACCESSORY

Lockwood's extensive padlock and accessory range features padlocks and accessories for all applications which are manufactured to exclusive Lockwood design specifications using high performance materials, equipment and quality techniques.

The range is divided into three categories, Handy Locks for barrier and deterrent uses, General Purpose and High/Maximum Security.

When making your selection consider the following points:

- The value you place on the property to be protected.
- The level of protection required: Basic, Good, High or Maximum Security.
- Size and strength of the padlock and accessory.
- The environment in which the padlock and accessory are to be used.

It is important to select the padlock and accessory which have the appropriate Size, Security and Corrosion Rating for your application. The security of the padlock and accessory should be of an equal rating.

## Lockwood Security Ratings

Range	AS 4145.4-2002	Security Rating Description
Standard Security	N/A - 4	1-4 Basic protection for barrier and deterrent applications.
High Security	5-7	5-7 Good to high security for general applications.
Maximum Security	8-10	8-10 High to maximum security for all applications including commercial and industrial.

## Corrosion Resistance Rating

Rating 1	Dry, protected conditions
Rating 2	Occasionally damp conditions
Rating 3	Moderately damped conditions
Rating 4	Wet, polluted corrosive conditions
Rating 5	Extreme wet, polluted corrosive conditions

# PADLOCKS



## VALUE RANGE PADLOCKS

- 110 Series Brass Padlocks
- 141 Series Dial Combination Padlocks
- 150 Series Brass Combination Padlocks
- 155 Series Combination Travel Padlock with TSA override



## HIGH SECURITY RANGE PADLOCKS

- 120 Series Brass Padlocks
- 120N Series Brass Padlocks
- 334S Series Steel Case Padlocks
- 334C Series Shrouded Steel Case Padlocks
- 334B Series Brass Case Padlocks
- 334M Series Stainless Steel Case Padlocks



## MAXIMUM SECURITY RANGE PADLOCKS

- 270 Series 70mm Steel Case Padlocks
- 290 Series Monoblock Steel Case Padlocks
- 301 Series 60mm Steel Case Padlocks
- 356S Series 60mm Steel Case Padlocks
- 356M Series 60mm Stainless Steel Case Padlocks



## SAFETY LOCKOUT PADLOCKS

- 312 Series Brass Case Padlocks
- 214 and 215 Aluminum Case Padlocks
- 215P Plastic Case Padlocks
- 225 Series Die cast Zinc Alloy Case padlock
- 325 Series AU Fire key code Brass Case Padlock

# PADLOCK ACCESSORIES



## LOCKING PLATES

- 70mm Locking Plates
- 70mm Locking Plates with Shackle Guard



## HASP & STAPLES

- 190mm Hasp and Staple - Heavy Duty
- 160mm Hasp and Staple - Hinged
- 90mm - 120mm Hasp & Staple




## PADBOLT

- 200MM Heavy Duty Padbolt


# THE PACKAGING SAYS IT ALL

25 YEAR  
MECHANICAL  
WARRANTY



SERIES

AUSTRALIAN  
STANDARD RATING



CORROSION  
RATING


SECURITY  
RATING

FEATURES

**Disclaimer:** Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2025 copyright by ASSA ABLOY All rights reserved.



**ASSA ABLOY**



**ASSA ABLOY Opening Solutions  
Australia (Head Office)**

**235 Huntingdale Road  
Oakleigh, Victoria, 3166 Australia**

**For customer feedback:**

**1300 LOCK UP (1300 562 587)  
[customerservice.au@assaabloy.com](mailto:customerservice.au@assaabloy.com)**

**[lockweb.com.au](http://lockweb.com.au)**