

Fire Services Key and Cylinders



We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries*®

LOCKWOOD

ASSA ABLOY

25YEAR

**MECHANICAL
WARRANTY**

www.lockweb.com.au

Contents



201-003 Rim Cylinder

page 5




**570-003 Australian
Oval Cylinder**

page 6



670-003 Cam Lock

page 7



**325-003 Series
Padlock**

page 8



003 Fire Key

page 9

Overview

The fire industry relies on a unified key system known as the 003 Fire Services Key System. This system mandates the use of a single key code across a full suite of locksets, including padlocks, camlocks, and cylinders - all configured to a 003 key code.

This unified code allows users to access different cylinders, using a single compliant 003 key, thereby ensuring accessibility in emergencies. The 003 code is also known as the AU fire key.

The 003 fire services key systems (both key and cylinder) are required to meet the minimum performance standard set by the standard AS 4428.17:2024, titled “Fire detection, warning, control and intercom systems — Control and indicating equipment, Part 17: 003 Key — Fire services key system.”


Lockwood 003 offerings are AS 4428.17:2024 compliant.

201-003 Rim Cylinder



The Lockwood 201 - fire service key-cylinder is coded to 003 fire service code. They are AS 4145.2-2008 tested and fully AS 4428.17:2024 compliant. The 201 Rim cylinder is used as an external cylinder to a wide range of Lockwood 001, 303, 355, 201, 211, 213 etc.

Standards and Compliance	
Sc4	Physical Security : Cylinder continues to function after meeting security requirements
C5	Corrosion Resistance : Cylinder operates after 96 hrs of NSS testing
Durability D6	Durability: 30,000 key operation cycles



Ordering

Part Number	Description
201CYL/003SC	Lockwood 201 Rim Lock Cylinder 003 Coded


*201 rim lock cylinder is available in other finishes.

570-003 Australian Oval Cylinder



The Lockwood 570 fire service key cylinder is coded to 003 code. They are AS 4145.2-2008 tested and fully AS 4428.17:2024 compliant. This cylinder is used on Lockwood Cylinder Mortice Locks such as the 3770 Series and 3570 Series (3772, 3572 etc.), 3780 and 3580 Series (3782, 3582 etc.). The lock application and function are dependent on the various cylinder cams and is available to buy .

Standards and Compliance	
Sc4	Physical Security : Cylinder continues to function after meeting security requirements
C5	Corrosion Resistance : Cylinder operates after 96 hrs of NSS testing
Durability D6	Durability: 30,000 key operation cycles



Ordering

Part Number	Description
570X/003SC	570 Australian Oval Cylinder With X Cam 003 Code

*570 oval cylinder is available in other finishes.


670-003 Cam Lock




The Lockwood 670 fire service key cylinder are coded to 003 code. They are AS 4145.2-2008 tested and fully AS 4428.17:2024 compliant. These are great for desk drawers, storage units, cupboards, lockers and toolboxes.

Standards and Compliance	
Sc4	Physical Security : Cylinder continues to function after meeting security requirements
C5	Corrosion Resistance : Cylinder operates after 96 hrs of NSS testing
Durability D6	Durability: 30,000 key operation cycles

Cylinder Dimensions




Cylinder Housing Cut-out Dimensions



Ordering

Part Number	Description
670/05/003SC	670 Camlock with 38mm Cam 003 Code

325-003 Series Padlock



The Lockwood 325/35/123/003 padlock features a solid brass body with a red silicon jacket, coded to AU fire key code 003.

325/35/123/003 padlock is fully AS 4428.17:2024 compliant

Features and Specifications

- **AS 4428.17-2024** compliant
- Design and tested to AS 4145.4-2002
- Double side locking
- Standard as latching function
- UV stabilized red silicon jacket for easy grip and identification
- Fire key 003 code

Product Details

Materials	Body: Brass
	Shackle: Hardened steel
	Cover: UV stabilized silicon rubber (red)
Function	spring loaded shackle with latching function (key removable in the open function).
Finish	Body: Natural material
	Shackle: Chrome plate

Standards and Compliance

SP4


Physical Security grades are employed for padlocks. These grades are defined in part by the effective differs and key combinations. Padlocks Physical Security (SP) grade 4.



Corrosion Resistance Rating C3 : Environments that are sometimes damp in the majority of normal rural and suburban localities, including interiors where condensation may occur.

Durability D2

25,000 key operation cycles
Designed and tested to the Australian Padlock Standard AS4145.4 2002 and are rated for both security and corrosion resistance.



Part Number

325/35/123/003

Description

325 series padlock – AU 003 fire key TP

*Specify cut key to 003 when ordering

003 Fire Key



The Fire Key 003 is required to achieve the minimum performance standards specified in AS 4428.17:2024. The Lockwood 003 key meets all requirements outlined in this Australian standard.

The Lockwood 003 key is designed to operate other compliant 003 cylinders. Additionally, the Lockwood 003 key head carries a registered design, serving as a mark of authenticity to ensure that a genuine Lockwood product is being used.

Part Number	Description
CUTKEYS-325	Lockwood Cut keys
CUTKEYS-325BK	Lockwood cut keys – Bulk 50+

*Specify cut key to 003 when ordering



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call 1300WARRANTY

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

info.nz@assaabloy.com
Telephone +64 9415 7111
assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2025 copyright by ASSA ABLOY All rights reserved